

## EAST SEARCH

2/5/04

L#	Hits	Search String	Databases
L1	2142	visual\$5 and (object\$1 same track\$5 same location\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L2	137	1 and probabilt\$5 and likelihood	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<u>Results of search set L2:</u>			
US 6671818 B1		Problem isolation through translating and filtering events into a standard object format in a network based supply chain	20031230 714/4
US 6668203 B1		State machine analysis of sensor data from dynamic processes	20031223 700/65
US 6643387 B1		Apparatus and method for context-based indexing and retrieval of image sequences	20031104 382/107
US 6640304 B2		Systems and methods for secure transaction management and electronic rights protection	20031028 713/193
US 6636174 B2		System and method for detection and tracking of targets	20031021 342/195
US 6633878 B1		Initializing an ecommerce database framework	20031014 707/100
US 6628821 B1		Canonical correlation analysis of image/control-point location coupling for the automatic location of control points	20030930 382/155
US 6609128 B1		Codes table framework design in an E-commerce architecture	20030819 707/10
US 6606744 B1		Providing collaborative installation management in a network-based supply chain environment	20030812 717/174
US 6601233 B1		Business components framework	20030729 717/102
US 6600418 B2		Object tracking and management system and method using radio-frequency identification tags	20030729 340/572.1
US 6594629 B1		Methods and apparatus for audio-visual speech detection and recognition	20030715 704/251
US 6580496 B2		Systems for CMOS-compatible three-dimensional image sensing using quantum efficiency modulation	20030617 356/5.1
US 6577936 B2		Image processing system for estimating the energy transfer of an occupant into an airbag	20030610 701/45
US 6529809 B1		Method of developing a system for identifying the presence and orientation of an object in a vehicle	20030304 701/45
US 6526352 B1		Method and arrangement for mapping a road	20030225 701/213
US 6523027 B1		Interfacing servers in a Java based e-commerce architecture	20030218 707/4
US 6515740 B2		Methods for CMOS-compatible three-dimensional image sensing using quantum efficiency modulation	20030204 356/141.1
US 6502082 B1		Modality fusion for object tracking with training system and method	20021231 706/16

US 6499025 B1	System and method for tracking objects by fusing results of multiple sensing modalities	20021224	706/52
US 6456239 B1	Method and apparatus for locating mobile tags	20020924	342/463
US 6445810 B2	Method and apparatus for personnel detection and tracking	20020903	382/115
US 6427140 B1	Systems and methods for secure transaction management and electronic rights protection	20020730	705/80
US 6418424 B1	Ergonomic man-machine interface incorporating adaptive pattern recognition based control system	20020709	706/21
US 6405132 B1	Accident avoidance system	20020611	701/301
US 6400828 B2	Canonical correlation analysis of image/control-point location coupling for the automatic location of control points	20020604	382/100
US 6389402 B1	Systems and methods for secure transaction management and electronic rights protection	20020514	705/51
US 6388569 B1	Electronic locating methods	20020514	340/505
US 6363488 B1	Systems and methods for secure transaction management and electronic rights protection	20020326	713/201
US 6353679 B1	Sample refinement method of multiple mode probability density estimation	20020305	382/228
US 6314204 B1	Multiple mode probability density estimation with application to multiple hypothesis tracking	20011106	382/228
US 6295367 B1	System and method for tracking movement of objects in a scene using correspondence graphs	20010925	382/103
US 6292830 B1	System for optimizing interaction among agents acting on multiple levels	20010918	709/224
US 6292136 B1	Multi target tracking initiation with passive angle measurements	20010918	342/432
US 6285319 B1	Method for reducing geometrical dilution of precision in geolocation of emitters using phase circles	20010904	342/449
US 6263088 B1	System and method for tracking movement of objects in a scene	20010717	382/103
US 6253193 B1	Systems and methods for the secure transaction management and electronic rights protection	20010626	705/57
US 6249252 B1	Wireless location using multiple location estimators	20010619	342/450
US 6247002 B1	Method and apparatus for extracting features characterizing objects, and use thereof	20010612	706/20
US 6237786 B1	Systems and methods for secure transaction management and electronic rights protection	20010529	213/153
US 6236736 B1	Method and apparatus for detecting movement patterns at a self-service checkout terminal	20010522	382/103
US 6188777 B1	Method and apparatus for personnel detection and tracking	20010213	382/103
US 6188776 B1	Principle component analysis of images for the automatic location of control points	20010213	382/100
US 6121926 A	Radio geo-location system with advanced first received wavefront arrival determination	20000919	342/450

US 6081750 A	Ergonomic man-machine interface incorporating adaptive pattern recognition based control system	20000627	700/17
US 6057756 A	Electronic locating systems	20000502	340/505
US 5995046 A	Radio geo-location system with advanced first received wavefront arrival determination	19991130	342/450
US 5991701 A	Method for improved instantaneous helical axis determination	19991123	702/150
US 5982891 A	Systems and methods for secure transaction management and electronic rights protection	19991109	705/54
US 5961571 A	Method and apparatus for automatically tracking the location of vehicles	19991005	701/207
US 5954674 A	Apparatus for gathering biomechanical parameters	19990921	600/594
US 5949876 A	Systems and methods for secure transaction management and electronic rights protection	19990907	705/80
US 5926568 A	Image object matching using core analysis and deformable shape loci	19990720	382/217
US 5920477 A	Human factored interface incorporating adaptive pattern recognition based controller apparatus	19990706	382/181
US 5920287 A	Radio location system for precisely tracking objects by RF transceiver tags which randomly and repetitively emit wideband identification signals	19990706	342/450
US 5917912 A	System and methods for secure transaction management and electronic rights protection	19990629	713/187
US 5915019 A	Systems and methods for secure transaction management and electronic rights protection	19990622	705/54
US 5910987 A	Systems and methods for secure transaction management and electronic rights protection	19990608	705/52
US 5903454 A	Human-factored interface incorporating adaptive pattern recognition based controller apparatus	19990511	700/83
US 5901246 A	Ergonomic man-machine interface incorporating adaptive pattern recognition based control system	19990504	382/209
US 5892900 A	Systems and methods for secure transaction management and electronic rights protection	19990406	713/200
US 5891060 A	Method for evaluating a human joint	19990406	600/595
US 5875108 A	Ergonomic man-machine interface incorporating adaptive pattern recognition based control system	19990223	700/17
US 5845009 A	Object tracking system using statistical modeling and geometric relationship	19981201	382/228
US 5801943 A	Traffic surveillance and simulation apparatus	19980901	701/117
US 5798693 A	Electronic locating systems	19980825	340/10.33
US 5786764 A	Voice activated electronic locating systems	19980728	340/572.4
US 5774357 A	Human factored interface incorporating adaptive pattern recognition based controller apparatus	19980630	713/600
US 5771306 A	Method and apparatus for extracting speech related facial features for use in speech recognition systems	19980623	382/100

US 5760774 A	Method and system for automatically consolidating icons into a master icon	19980602	345/835
US 5747719 A	Armed terrorist immobilization (ATI) system	19980505	89/1.1
US 5680481 A	Facial feature extraction method and apparatus for a neural network acoustic and visual speech recognition system	19971021	382/190
US 5621858 A	Neural network acoustic and visual speech recognition system training method and apparatus	19970415	704/232
US 5606609 A	Electronic document verification system and method	19970225	713/179
US 5586215 A	Neural network acoustic and visual speech recognition system	19961217	704/232
US 5458041 A	Air defense destruction missile weapon system	19951017	89/1.11
US 5341142 A	Target acquisition and tracking system	19940823	342/64
US 5305430 A	Object-local sampling histories for efficient path tracing	19940419	345/427
US 5268844 A	Electronic digital position and navigational plotter	19931207	701/200
US 5227874 A	Method for measuring the effectiveness of stimuli on decisions of shoppers	19930713	705/10
US 5020411 A	Mobile assault logistic kinematic engagement device	19910604	89/1.11
US 20040016870 A1	Object detection system for vehicle	20040129	250/208.1
US 20040006566 A1	System and method for augmenting knowledge commerce	20040108	707/100
US 20040001143 A1	Speaker detection and tracking using audiovisual data	20040101	348/169
US 20030234519 A1	System or method for selecting classifier attribute types	20031225	280/728.1
US 20030228032 A1	System and method for mode-based multi-hypothesis tracking using parametric contours	20031211	382/103
US 20030223053 A1	Methods and devices for charge management for three-dimensional and color sensing	20031204	356/5.1
US 20030222820 A1	Wireless location using hybrid techniques	20031204	342/457
US 20030219146 A1	Visual motion analysis method for detecting arbitrary numbers of moving objects in image sequences	20031127	382/103
US 20030217137 A1	Verified device locations in a data network	20031120	709/223
US 20030209893 A1	Occupant sensing system	20031113	280/735
US 20030203717 A1	Satellite based data transfer and delivery system	20031030	455/12.1
US 20030200024 A1	Multiple approach time domain spacing aid display system and related techniques	20031023	701/120
US 20030198378 A1	Method and system for 3D smoothing within the bound of error regions of matching curves	20031023	382/154
US 20030198377 A1	Method and system for 3D reconstruction of multiple views with altering search path and occlusion modeling	20031023	382/154
US 20030191719 A1	Systems and methods for secure transaction management and electronic rights protection	20031009	705/54
US 20030191568 A1	Method and system for controlling a vehicle	20031009	701/36
US 20030179922 A1	Apparatus and method for the construction of spatial representations	20030925	382/153
US 20030163431 A1	Systems and methods for secure transaction management and electronic rights protection	20030828	705/64

US 20030161411 A1	Ultra wide bandwidth communications method and system	20030828	375/295
US 20030158795 A1	Quality management and intelligent manufacturing with labels and smart tags in event-based product manufacturing	20030821	705/28
US 20030155415 A1	Communication between machines and feed-forward control in event-based product manufacturing	20030821	235/376
US 20030154144 A1	Integrating event-based production information with financial and purchasing systems in product manufacturing	20030814	705/28
US 20030150909 A1	Quality management by validating a bill of materials in event-based product manufacturing	20030814	235/376
US 20030150908 A1	User interface for reporting event-based production information in product manufacturing	20030814	235/375
US 20030146871 A1	Wireless location using signal direction and time difference of arrival	20030807	342/457
US 20030134648 A1	Machine for providing a dynamic data base of geographic location information for a plurality of wireless devices and process for making same	20030717	455/456.1
US 20030127609 A1	Sample analysis systems	20030710	250/574
US 20030108334 A1	Adaptive environment system and method of providing an adaptive environment	20030612	386/95
US 20030108220 A1	Robust, on-line, view-based appearance models for visual motion analysis and visual tracking	20030612	382/103
US 20030105721 A1	Systems and methods for secure transaction management and electronic rights protection	20030605	705/54
US 20030103647 A1	Automatic detection and tracking of multiple individuals using multiple cues	20030605	382/103
US 20030095140 A1	Vision-based pointer tracking and object classification method and apparatus	20030522	345/700
US 20030088784 A1	Systems and methods for secure transaction management and electronic rights protection	20030508	713/189
US 20030076484 A1	Systems for CMOS-compatible three-dimensional image sensing using quantum efficiency modulation	20030424	356/5.1
US 20030065260 A1	Identification and quantification of needle and seed displacement departures from treatment plan	20030403	600/427
US 20030058111 A1	Computer vision based elderly care monitoring system	20030327	340/573.1
US 20030052788 A1	Medical assistance and tracking system and method employing smart tags	20030320	340/573.1
US 20030040815 A1	Cooperative camera network	20030227	700/48
US 20030036835 A1	System for determining the occupancy state of a seat in a vehicle and controlling a component based thereon	20030220	701/45
US 20030035573 A1	Method for learning-based object detection in cardiac magnetic resonance images	20030220	382/128
US 20030033066 A1	Image processing system for estimating the energy transfer of an occupant into an airbag	20030213	701/45
US 20030018475 A1	Method and apparatus for audio-visual speech detection and recognition	20030123	704/270
US 20020198632 A1	Method and arrangement for communicating between vehicles	20021226	701/1

US 20020152318 A1	Metadata enabled push-pull model for efficient low-latency video-content distribution over a network	20021017	709/231
US 20020135618 A1	System and method for multi-modal focus detection, referential ambiguity resolution and mood classification using multi-modal input	20020926	345/767
US 20020130775 A1	Electronic locating systems	20020919	340/540
US 20020112171 A1	Systems and methods for secure transaction management and electronic rights protection	20020815	713/185
US 20020084430 A1	Methods for CMOS-compatible three-dimensional image sensing using quantum efficiency modulation	20020704	250/559.05
US 20020070862 A1	Object tracking and management system and method using radio-frequency identification tags	20020613	340/572.1
US 20020059022 A1	System for determining the occupancy state of a seat in a vehicle and controlling a component based thereon	20020516	701/45
US 20020048369 A1	Systems and methods for secure transaction management and electronic rights protection	20020425	380/277
US 20020030623 A1	System and method for detection and tracking of targets	20020314	342/195
US 20010028731 A1	Canonical correlation analysis of image/control-point location coupling for the automatic location of control points	20011011	382/118
US 20010022558 A1	Wireless location using signal fingerprinting	20010920	342/450
US 20010014868 A1	SYSTEM FOR THE AUTOMATIC DETERMINATION OF CUSTOMIZED PRICES AND PROMOTIONS	20010816	705/14
US 20010000025 A1	Method and apparatus for personnel detection and tracking	20010315	382/103


**IEEE Xplore®**  
RELEASE 1.5

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Search Results

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **60** of **990765** documents.A maximum of **60** results are displayed, **50** to a page, sorted by **publication year** in **ascending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again**.

visual\* and object\* and location\* and track\*

**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Tracking points and line segments in image sequences***Gambotto, J.-P.;*

Visual Motion, 1989., Proceedings. Workshop on , 20-22 March 1989

Page(s): 38 -45

[\[Abstract\]](#) [\[PDF Full-Text \(416 KB\)\]](#) **IEEE CNF**
**2 Effects of visual display separation upon primary and secondary task performances***Katsuyama, R.M.; Monk, D.L.; Rolek, E.P.;*

Aerospace and Electronics Conference, 1989. NAECON 1989., Proceedings of the IEEE 1989 National , 22-26 May 1989

Page(s): 758 -764 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(648 KB\)\]](#) **IEEE CNF**
**3 Adaptive image feature prediction and control for visual tracking with a moving camera***Feddema, J.T.; Lee, C.S.G.;*

Systems, Man and Cybernetics, 1990. Conference Proceedings., IEEE

International Conference on , 4-7 Nov. 1990

Page(s): 20 -24

[\[Abstract\]](#) [\[PDF Full-Text \(416 KB\)\]](#) **IEEE CNF**
**4 A low-latency 60 Hz stereo vision system for real-time visual control***Andersson, R.L.;*

Intelligent Control, 1990. Proceedings., 5th IEEE International Symposium on , 5-7 Sept. 1990

Page(s): 165 -170 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(656 KB\)\]](#) **IEEE CNF**

---

**5 Adaptive image feature prediction and control for visual tracking with a hand-eye coordinated camera**

*Feddema, J.T.; Lee, C.S.G.;*

Systems, Man and Cybernetics, IEEE Transactions on , Volume: 20 Issue: 5 , Sept.-Oct. 1990

Page(s): 1172 -1183

[\[Abstract\]](#) [\[PDF Full-Text \(880 KB\)\]](#) **IEEE JNL**

---

**6 Predictive tracking of targets using image sequences**

*Frau, J.; Llarío, V.;*

Intelligent Robots and Systems '91. 'Intelligence for Mechanical Systems, Proceedings IROS '91. IEEE/RSJ International Workshop on , 3-5 Nov. 1991

Page(s): 848 -854 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(412 KB\)\]](#) **IEEE CNF**

---

**7 A robotic visual servoing system**

*Scaggs, T.E.;*

Aerospace and Electronics Conference, 1993. NAECON 1993., Proceedings of the IEEE 1993 National , 24-28 May 1993

Page(s): 858 -861 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(316 KB\)\]](#) **IEEE CNF**

---

**8 An active sensing method using estimated errors for multisensor fusion systems**

*Mukai, T.; Ishikawa, M.;*

Multisensor Fusion and Integration for Intelligent Systems, 1994. IEEE International Conference on MFI '94. , 2-5 Oct. 1994

Page(s): 615 -622

[\[Abstract\]](#) [\[PDF Full-Text \(528 KB\)\]](#) **IEEE CNF**

---

**9 Mobile robot position determination using visual landmarks**

*D'Orazio, T.; Lovergine, F.P.; Ianigro, M.; Stella, E.; Distante, A.;*

Industrial Electronics, IEEE Transactions on , Volume: 41 Issue: 6 , Dec. 1994

Page(s): 654 -662

[\[Abstract\]](#) [\[PDF Full-Text \(780 KB\)\]](#) **IEEE JNL**

---

**10 Acquiring 3-D models from sequences of contours**

*Jiang Yu Zheng;*

Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 16 Issue: 2 , Feb. 1994

Page(s): 163 -178



[\[Abstract\]](#) [\[PDF Full-Text \(1712 KB\)\]](#) **IEEE JNL**

---

**11 Simulated annealing split and merge segmentation algorithm for object based video codecs with the output bit rate as the objective function**

*Barman, S.K.; Cosmas, J.P.; Kromat, M.; Alavi, F.N.;*

Image Processing and its Applications, 1995., Fifth International Conference on , 4-6 Jul 1995

Page(s): 505 -509

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) **IEE CNF**

---

**12 Fast and effective multiple moving targets tracking method for mobile robots**

*Jiyeon Chung; Yang, H.S.;*

Robotics and Automation, 1995. Proceedings., 1995 IEEE International Conference on , Volume: 3 , 21-27 May 1995

Page(s): 2645 -2650 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(696 KB\)\]](#) **IEEE CNF**

---

**13 A visual tracking algorithm by integrating rigid model and snakes**

*Dong Jung Kang; In So Kweon;*

Intelligent Robots and Systems '96, IROS 96, Proceedings of the 1996 IEEE/RSJ International Conference on , Volume: 2 , 4-8 Nov. 1996

Page(s): 777 -784 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(2224 KB\)\]](#) **IEEE CNF**

---

**14 Locating and tracking facial speech features**

*Luettin, J.; Thacker, N.A.; Beet, S.W.;*

Pattern Recognition, 1996., Proceedings of the 13th International Conference on , Volume: 1 , 25-29 Aug. 1996

Page(s): 652 -656 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(528 KB\)\]](#) **IEEE CNF**

---

**15 An active sensing method using estimated errors for multisensor fusion systems**

*Mukai, T.; Ishikawa, M.;*

Industrial Electronics, IEEE Transactions on , Volume: 43 Issue: 3 , June 1996

Page(s): 380 -386

[\[Abstract\]](#) [\[PDF Full-Text \(660 KB\)\]](#) **IEEE JNL**

---

**16 Velocity and disparity cues for robust real-time binocular tracking***Rougeaux, S.; Kuniyoshi, Y.;*

Computer Vision and Pattern Recognition, 1997. Proceedings., 1997 IEEE Computer Society Conference on , 17-19 June 1997

Page(s): 1 -6

[\[Abstract\]](#) [\[PDF Full-Text \(600 KB\)\]](#) **IEEE CNF****17 Interaction with on-screen objects using visual gesture recognition***Kjeldsen, R.; Kender, J.;*

Computer Vision and Pattern Recognition, 1997. Proceedings., 1997 IEEE Computer Society Conference on , 17-19 June 1997

Page(s): 788 -793

[\[Abstract\]](#) [\[PDF Full-Text \(500 KB\)\]](#) **IEEE CNF****18 Estimation of 3-D pose and shape from a monocular image sequence and real-time human tracking***Shirai, Y.;*

3-D Digital Imaging and Modeling, 1997. Proceedings., International Conference on Recent Advances in , 12-15 May 1997

Page(s): 130 -139

[\[Abstract\]](#) [\[PDF Full-Text \(892 KB\)\]](#) **IEEE CNF****19 Speed command of a robotic system by monocular pose estimate***Daucher, N.; Dhome, M.; Laprest, J.T.; Rives, G.;*

Intelligent Robots and Systems, 1997. IROS '97., Proceedings of the 1997 IEEE/RSJ International Conference on , Volume: 1 , 7-11 Sept. 1997

Page(s): 55 -62 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(684 KB\)\]](#) **IEEE CNF****20 Tele-guidance system using 3D-CG and real-time tracking vision***Mitsuishi, M.; Chotoku, Y.; Nagao, T.;*

Robot and Human Communication, 1997. RO-MAN '97. Proceedings., 6th IEEE International Workshop on , 29 Sept.-1 Oct. 1997

Page(s): 172 -175

[\[Abstract\]](#) [\[PDF Full-Text \(152 KB\)\]](#) **IEEE CNF****21 A vision-guided object tracking and prediction algorithm for soccer robots***Hong, C.S.; Chun, S.M.; Lee, J.S.; Hong, K.S.;*

Robotics and Automation, 1997. Proceedings., 1997 IEEE International Conference on , Volume: 1 , 20-25 April 1997

Page(s): 346 -351 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(464 KB\)\]](#) **IEEE CNF**

---

**22 Acoustic imaging and visualization of plumes discharging from black smoker vents on the deep seafloor**

*Rona, P.; Bemis, K.; Kenchammana-Hosekote, D.; Silver, D.;*

Visualization '98. Proceedings , 18-23 Oct. 1998

Page(s): 475 -478, 571

[\[Abstract\]](#) [\[PDF Full-Text \(640 KB\)\]](#) **IEEE CNF**

---

**23 Video object plane segmentation using a morphological motion filter and Hausdorff object tracking**

*Meier, T.; Ngan, K.N.;*

Image Processing, 1998. ICIP 98. Proceedings. 1998 International Conference on , Volume: 2 , 4-7 Oct. 1998

Page(s): 652 -656 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(604 KB\)\]](#) **IEEE CNF**

---

**24 Registration of video to geo-referenced imagery**

*Kumar, R.; Sawhney, H.S.; Asmuth, J.C.; Pope, A.; Hsu, S.;*

Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on , Volume: 2 , 16-20 Aug. 1998

Page(s): 1393 -1400 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(756 KB\)\]](#) **IEEE CNF**

---

**25 Calibration-free augmented reality**

*Kutulakos, K.N.; Vallino, J.R.;*

Visualization and Computer Graphics, IEEE Transactions on , Volume: 4 Issue: 1 , Jan.-March 1998

Page(s): 1 -20

[\[Abstract\]](#) [\[PDF Full-Text \(3092 KB\)\]](#) **IEEE JNL**

---

**26 5D target trajectory detection via intelligent monocular visual tracking system in real-time with air-target orientation recognition**

*Chih-Yu Chen; Li-Chen Fu;*

American Control Conference, 1999. Proceedings of the 1999 , Volume: 1 , 2-4 June 1999

Page(s): 363 -367 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(380 KB\)\]](#) **IEEE CNF**

---

**27 Multi-source face tracking with audio and visual data**

*Ce Wang; Brandstein, M.S.;*

Multimedia Signal Processing, 1999 IEEE 3rd Workshop on , 13-15 Sept. 1999

Page(s): 169 -174

[\[Abstract\]](#) [\[PDF Full-Text \(317 KB\)\]](#) **IEEE CNF**

---

**28 Movement of visual attention**

*Shioiri, S.; Inoue, T.; Matsumura, K.; Taguchi, H.;*  
Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceedings.  
1999 IEEE International Conference on , Volume: 2 , 12-15 Oct. 1999  
Page(s): 5 -9 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(460 KB\)\]](#) **IEEE CNF**

---

**29 A multi-agent framework for visual surveillance**

*Orwell, J.; Massey, S.; Remagnino, P.; Greenhill, D.; Jones, G.A.;*  
Image Analysis and Processing, 1999. Proceedings. International Conference on ,  
27-29 Sept. 1999  
Page(s): 1104 -1107

[\[Abstract\]](#) [\[PDF Full-Text \(76 KB\)\]](#) **IEEE CNF**

---

**30 Robust person tracking in real scenarios with non-stationary background using a statistical computer vision approach**

*Rigoll, G.; Winterstein, B.; Muller, S.;*  
Visual Surveillance, 1999. Second IEEE Workshop on, (VS'99) , 26 June 1999  
Page(s): 41 -47

[\[Abstract\]](#) [\[PDF Full-Text \(544 KB\)\]](#) **IEEE CNF**

---

**31 Using the CONDENSATION algorithm for robust, vision-based mobile robot localization**

*Dellaert, F.; Burgard, W.; Fox, D.; Thrun, S.;*  
Computer Vision and Pattern Recognition, 1999. IEEE Computer Society  
Conference on. , Volume: 2 , 23-25 June 1999 -594 Vol. 2

[\[Abstract\]](#) [\[PDF Full-Text \(872 KB\)\]](#) **IEEE CNF**

---

**32 Man multi-agent interaction in VR: a case study with RoboCup**

*Spoelder, H.J.W.; Renambot, L.; Germans, D.; Bal, H.E.;*  
Virtual Reality, 2000. Proceedings. IEEE , 18-22 March 2000  
Page(s): 291

[\[Abstract\]](#) [\[PDF Full-Text \(112 KB\)\]](#) **IEEE CNF**

---

**33 A surveillance system integrating visual telepresence**

*Peixoto, P.; Goncalves, J.; Antunes, H.; Batista, J.; Araujo, H.;*  
Pattern Recognition, 2000. Proceedings. 15th International Conference on ,  
Volume: 4 , 3-7 Sept. 2000  
Page(s): 98 -101 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(344 KB\)\]](#) [IEEE CNF](#)

---

**34 An edge based visual tracking for target within complex environment**

*En-Wei Huang; Wei-Guan Yau; Li-Chen Fu;*

American Control Conference, 2000. Proceedings of the 2000 , Volume: 3 , 28-30 June 2000

Page(s): 1993 -1997 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) [IEEE CNF](#)

---

**35 Experiments on operator matching in visual teleoperation**

*Thompson, R.L.; Daniel, R.W.; Murray, D.W.;*

Systems, Man, and Cybernetics, 2000 IEEE International Conference on , Volume: 2 , 8-11 Oct. 2000

Page(s): 931 -936 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(440 KB\)\]](#) [IEEE CNF](#)

---

**36 An audio-video front-end for multimedia applications**

*Zotkin, D.; Duraiswami, R.; Davis, L.; Haritaoglu, I.;*

Systems, Man, and Cybernetics, 2000 IEEE International Conference on , Volume: 2 , 8-11 Oct. 2000

Page(s): 786 -791 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(816 KB\)\]](#) [IEEE CNF](#)

---

**37 Mean shift and optimal prediction for efficient object tracking**

*Comaniciu, D.; Ramesh, V.;*

Image Processing, 2000. Proceedings. 2000 International Conference on , Volume: 3 , 10-13 Sept. 2000

Page(s): 70 -73 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(520 KB\)\]](#) [IEEE CNF](#)

---

**38 Visual and audio segmentation for video streams**

*Muramoto, T.; Sugiyama, M.;*

Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International Conference on , Volume: 3 , 30 July-2 Aug. 2000

Page(s): 1547 -1550 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(292 KB\)\]](#) [IEEE CNF](#)

---

**39 Dynamic memory: architecture for real time integration of visual perception, camera action, and network communication**

*Matsuyam, T.; Hiura, S.; Wada, T.; Murase, K.; Toshioka, A.;*

Computer Vision and Pattern Recognition, 2000. Proceedings. IEEE Conference

on , Volume: 2 , 13-15 June 2000

Page(s): 728 -735 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(588 KB\)\]](#) **IEEE CNF**

---

**40 Visual routines for eye location using learning and evolution**

*Huang, J.; Wechsler, H.;*

Evolutionary Computation, IEEE Transactions on , Volume: 4 Issue: 1 , April 2000

Page(s): 73 -82

[\[Abstract\]](#) [\[PDF Full-Text \(512 KB\)\]](#) **IEEE JNL**

---

**41 Learning generative models of scene features**

*Sim, R.; Dudek, G.;*

Computer Vision and Pattern Recognition, 2001. CVPR 2001. Proceedings of the 2001 IEEE Computer Society Conference on , Volume: 1 , 8-14 Dec. 2001

Page(s): I-406 -I-412 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(939 KB\)\]](#) **IEEE CNF**

---

**42 Robust real-time 3D trajectory tracking algorithms for visual tracking using weak perspective projection**

*Wei Guan Yau; Li-Chen Fu; Liu, D.;*

American Control Conference, 2001. Proceedings of the 2001 , Volume: 6 , 25-27 June 2001

Page(s): 4632 -4637 vol.6

[\[Abstract\]](#) [\[PDF Full-Text \(616 KB\)\]](#) **IEEE CNF**

---

**43 Visual tracking using Snake for object's discrete motion**

*Won Kim; Ju-Jang Lee;*

Robotics and Automation, 2001. Proceedings 2001 ICRA. IEEE International Conference on , Volume: 3 , 2001

Page(s): 2608 -2613 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(444 KB\)\]](#) **IEEE CNF**

---

**44 Visual tracking using Snake based on target's contour information**

*Won Kim; Ju-Jang Lee;*

Industrial Electronics, 2001. Proceedings. ISIE 2001. IEEE International Symposium on , Volume: 1 , 12-16 June 2001

Page(s): 176 -180 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(449 KB\)\]](#) **IEEE CNF**

---

**45 Design and implementation of visual servoing system for realistic air target tracking**

*Wei Guan Yau; Li-Chen Fu; Liu, D.;*

Robotics and Automation, 2001. Proceedings 2001 ICRA. IEEE International Conference on , Volume: 1 , 2001

Page(s): 229 -234 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(540 KB\)\]](#) **IEEE CNF**

---

**46 Moving target tracking algorithm based on the confidence measure of motion vectors**

*Jin-Sung Lee; Kwang-Yeon Rhee; Seong-Dae Kim;*

Image Processing, 2001. Proceedings. 2001 International Conference on , Volume: 1 , 7-10 Oct. 2001

Page(s): 369 -372 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(392 KB\)\]](#) **IEEE CNF**

---

**47 Mobile computing and industrial augmented reality for real-time data access**

*Xiang Zhang; Genc, Y.; Navab, N.;*

Emerging Technologies and Factory Automation, 2001. Proceedings. 2001 8th IEEE International Conference on , Volume: 2 , 15-18 Oct. 2001

Page(s): 583 -588 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(855 KB\)\]](#) **IEEE CNF**

---

**48 Leaving on a plane jet**

*Reznik, D.S.; Canny, J.F.; Alldrin, N.;*

Intelligent Robots and Systems, 2001. Proceedings. 2001 IEEE/RSJ International Conference on , Volume: 1 , 29 Oct.-3 Nov. 2001

Page(s): 202 -207 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(562 KB\)\]](#) **IEEE CNF**

---

**49 Current status of the Varioscope AR, a head-mounted operating microscope for computer-aided surgery**

*Figl, M.; Birkfellner, W.; Hummel, J.; Hanel, R.; Homolka, P.; Watzinger, F.;*

*Wanshit, F.; Ewers, R.; Bergmann, H.;*

Augmented Reality, 2001. Proceedings. IEEE and ACM International Symposium on , 29-30 Oct. 2001

Page(s): 20 -29

[\[Abstract\]](#) [\[PDF Full-Text \(437 KB\)\]](#) **IEEE CNF**

---

**50 Face and eye tracking algorithm based on digital image processing**

*Perez, C.A.; Palma, A.; Holzmann, C.A.; Pena, C.;*

Systems, Man, and Cybernetics, 2001 IEEE International Conference on ,

Volume: 2 , 7-10 Oct. 2001

Page(s): 1178 -1183 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(550 KB\)\]](#) **IEEE CNF**

---

1 2 [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved




[Help](#)

Basic Search	Advanced Search	Topic Guide	Publication Search	Marked List : 0 articles	Interface language: <span>English</span>
--------------	-----------------	-------------	--------------------	--------------------------	--

Databases selected: Multiple databases...

## Results

• 37 articles found for: ((vision or visual\*) w/30 (object\* and location\* and track\*)) AND PDN(<6/12/2000)

☐ All sources ☐ Scholarly Journals ☐ Trade Publications ☐ Newspapers

☐ Mark / Clear all on page

☐ View marked articles

☐ Full text articles only

Sort results by: Most recent articles first

- ☐ 1. **Neurovisual rehabilitation: Recent developments and future directions**  
 Georg Kerkhoff. *Journal of Neurology, Neurosurgery and Psychiatry*. London: Jun 2000. Vol. 68, Iss. 6; p. 691 (16 pages)  
[Text+Graphics](#) [Page Image - PDF](#) [Citation](#)
- ☐ 2. **Multiple object tracking and attentional processing**  
 Christopher R Sears, Zenon W Pylyshyn. *Canadian Journal of Experimental Psychology*. Ottawa: Mar 2000. Vol. 54, Iss. 1; p. 1 (14 pages)  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
- ☐ 3. **Investing wisely in Web-based training**  
 Lisa Khatib. *Teleconference*. San Ramon: Mar/Apr 2000. Vol. 19, Iss. 2; p. 40 (1 page)  
[Full text](#) [Page Image - PDF](#) [Citation](#)
- ☐ 4. **Media in performance: Interactive spaces for dance, theater, circus, and museum exhibits**  
 F Sparacino, G Davenport, A Pentland. *IBM Systems Journal*. Armonk: 2000. Vol. 39, Iss. 3/4; p. 479 (32 pages)  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
- ☐ 5. **Measuring the effectiveness of bioptic telescopes for persons with central vision loss**  
 Janet P Szlyk, William Seiple, Denice J Laderman, Roger Kelsch, et al. *Journal of Rehabilitation Research and Development*. Washington: Jan/Feb 2000. Vol. 37, Iss. 1; p. 101 (8 pages)  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
- ☐ 6. **Visual navigation for the end user leverages the Hyperbolic Tree**  
 Ramana Rao. *HP Chronicle*. Austin: Dec 1999. Vol. 17, Iss. 1; p. 1 (2 pages)  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
- ☐ 7. **NetWatch**  
 Kathie Felix. *MultiMedia & Internet@Schools*. Medford: Sep/Oct 1999. Vol. 6, Iss. 4; p. 16 (2 pages)  
[Full text](#) [Page Image - PDF](#) [Citation](#)
- ☐ 8. **MapInfo and InterGis Announce New Release of Multi-User Logistics Management and Routing Solution; Companies to Jointly Market Visual Control Room 3.0**  
 Business/Technology Editors. *Business Wire*. New York: Jul 26, 1999. p. 1  
[Full text](#) [Abstract](#)
- ☐ 9. **The mapmaking mind**  
 Marcia Barinaga. *Science*. Washington: Jul 9, 1999. Vol. 285, Iss. 5425; p. 189 (3 pages)  
[Full text](#) [Page Image - PDF](#) [Abstract](#)

10. **Face-selective neurons during passive viewing and working memory performance of rhesus monkeys: evidence for intrinsic specialization of neuronal coding**  
*SPO Scalaidhe, FAW Wilson, PS Goldman-Rakic. Cerebral Cortex. New York: Jul 1999. Vol. 9, Iss. 5; p. 459*  
[Article image - PDF](#) [Abstract](#)
11. **Not by bombs alone: Lessons from Malaya**  
*Jay Gordon Simpson. Joint Force Quarterly : JFQ. Washington: Summer 1999. p. 91*  
[Text+Graphics](#) [Page Image - PDF](#) [Citation](#)
12. **Movement and action: Introduction to the special topic**  
*Mary M Smyth, Patrick Haggard. British Journal of Psychology. London: May 1999. Vol. 90; p. 243 (4 pages)*  
[Full text](#) [Page Image - PDF](#) [Abstract](#)
13. **Image sensor tracks moving objects in hardware**  
*R Colin Johnson. Electronic Engineering Times. Manhasset: Apr 5, 1999. p. 61 (1 page)*  
[Text+Graphics](#) [Page Image - PDF](#) [Citation](#)
14. **Object/FX Corporation Offers Internet Access to All Major Sources of Map Data Through Partnership With Global Geomatics Inc.**  
*Business Editors. Business Wire. New York: Mar 15, 1999. p. 1*  
[Full text](#) [Abstract](#)
15. **Evaluation of the NINCDS-ADRDA criteria in the differentiation of Alzheimer's disease and frontotemporal dementia**  
*A R Varma, J S Snowden, J J Lloyd, P R Talbot, et al. Journal of Neurology, Neurosurgery and Psychiatry. London: Feb 1999. Vol. 66, Iss. 2; p. 184 (5 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
16. **Information in places**  
*James C Spohrer. IBM Systems Journal. Armonk: 1999. Vol. 38, Iss. 4; p. 602 (27 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
17. **Composable ad hoc location-based services for heterogeneous mobile clients**  
*Todd D. Hodes, Randy H. Katz. Wireless Networks. Amsterdam: 1999. Vol. 5, Iss. 5; p. 411*  
[Article image - PDF](#) [Abstract](#)
18. **Facts and figures**  
*Anonymous. Insurance & Technology. New York: Oct 1998. Vol. 23, Iss. 10; p. 37 (1 page)*  
[Text+Graphics](#) [Page Image - PDF](#) [Citation](#)
19. **New frontiers in visual search: An exploratory study in live tennis situations**  
*Robert N Singer, A Mark Williams, Shane G Frehlich, Christopher M Janelle, et al. Research Quarterly for Exercise and Sport. Washington: Sep 1998. Vol. 69, Iss. 3; p. 290 (7 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
20. **Arch Communications, Nation's Second Largest Wireless Paging Company, Selects Novera's Jbusiness**  
*Business/Technology Editors. Business Wire. New York: Aug 24, 1998. p. 1*  
[Full text](#) [Abstract](#)
21. **Object/FX Corporation Announces Richard Tanler of Information Advantage as New Board Member**  
*Business Editors. Business Wire. New York: Aug 10, 1998. p. 1*  
[Full text](#) [Abstract](#)

22. **Collaborative visioning: Proceed with caution!: Results from evaluating Atlanta's Vision 2020 project**  
*Amy Helling. American Planning Association. Journal of the American Planning Association. Chicago: Summer 1998. Vol. 64, Iss. 3; p. 335 (15 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
23. **The impact of auditory enhancement of a user interface on decision making: An experimental study**  
*Easwar A Nyshadham. The Journal of Computer Information Systems. Stillwater: Summer 1998. Vol. 38, Iss. 4; p. 100 (8 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
24. **Long-distance debris transport by tornadic thunderstorms. Part I: The 7 May 1995 supercell thunderstorm**  
*Michael A Magsig, John T Snow. Monthly Weather Review. Washington: Jun 1998. Vol. 126, Iss. 6; p. 1430 (20 pages)*  
[Full text](#) [Citation](#)
25. **Body, vision and movement: In the footprints of the ancestors**  
*Franca Tamisari. Oceania. Sydney: Jun 1998. Vol. 68, Iss. 4; p. 249 (22 pages)*  
[Full text](#) [Page Image - PDF](#) [Abstract](#)
26. **Eyesight Insight: The brain is vision central, the place where images begin to make sense; Insight Into Mechanics Of Eyesight**  
*TOM SIEGFRIED DALLAS MORNING NEWS. The Salt Lake Tribune. Salt Lake City, Utah: Aug 7, 1997. p. C.1*  
[Full text](#) [Citation](#)
27. **Coding the locations of objects in the dark**  
*Michael S A Graziano, Xin Tian Hu, Charles G Gross. Science. Washington: Jul 11, 1997. Vol. 277, Iss. 5323; p. 239 (3 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
28. **The impact of vision and vision training in sport performance**  
*Duane Knudson, Darlene A Kluka. Journal of Physical Education, Recreation & Dance. Reston: Apr 1997. Vol. 68, Iss. 4; p. 17 (8 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
29. **Let's go to the videotape!**  
*John A Fugel. Rural Telecommunications. Washington: Mar/Apr 1997. Vol. 16, Iss. 2; p. 76 (4 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
30. **Visual attention: Control, representation, and time course**  
*Egeth, Howard E, Yantis, Steve. Annual Review of Psychology. Palo Alto: 1997. Vol. 48; p. 269 (29 pages)*  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)

1-30 of 37

&lt; First | &lt; Previous 1 2 Next &gt;



Results per page: 30

**Basic Search**Tools: [Search Tips](#) [Browse Topics](#) [3 Recent Searches](#)

(vision or visual\*) w/30 (object\* and location\* and track\*)

**Search****Clear**Database:  [Select multiple databases](#)Date range:   [About](#)Limit results to: ☒ Full text articles only

 Scholarly journals, including peer-reviewed  [About](#)

 [More Search Options](#) 

Copyright © 2004 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)

[Text-only interface](#)

From: ProQuest  
COMPANY


[Help](#)

Basic Search	Advanced Search	Topic Guide	Publication Search	Marked List : 0 articles	Interface language: <span>English</span>
--------------	-----------------	-------------	--------------------	--------------------------	--

Databases selected: Multiple databases...

## Results

• 37 articles found for: ((vision or visual\*) w/30 (object\* and location\* and track\*)) AND PDN(<6/12/2000)

☐ All sources ☐ Scholarly Journals ☐ Trade Publications ☐ Newspapers

☐ Mark / Clear all on page | [View marked articles](#) ☐ Full text articles only Sort results by: Most recent articles first

- ☐ 31. **Who holds the Holy Grail?**  
Schwartz, Susana. *Insurance & Technology*. New York: Jan 1997. Vol. 22, Iss. 1; p. 32 (3 pages)  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
- ☐ 32. **Patterns of motor impairment in normal aging, mild cognitive decline, and early Alzheimer's disease**  
Kluger, Alan, Gianutsos, John G, Golomb, James, Ferris, Steven H, et al. *The Journals of Gerontology*. Washington: Jan 1997. Vol. 52B, Iss. 1; p. P28 (12 pages)  
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
- ☐ 33. **New boss: my plans for the future;Interview;John Kay**  
Desmond Dearlove. *The Times*. London (UK): Oct 7, 1996. p. 1  
[Full text](#) [Citation](#)
- ☐ 34. **MEMORY STUDY SHEDS NEW LIGHT ON BRAIN WORK ZONE CONNECTED TO SHORT-TERM USE; [FIRST Edition]**  
DANIEL GOLEMAN 1995, *The New York Times*. Times - Picayune (pre-1997 Fulltext). New Orleans, La.: May 2, 1995. p. A.2  
[Full text](#) [Abstract](#)
- ☐ 35. **Autodesk announces Cyberspace Developer Kit Release 2**  
Chouteau, Garth. *Business Wire*. New York: Jul 26, 1994. p. 1  
[Full text](#) [Abstract](#)
- ☐ 36. **Computer vision applications**  
Grimson, W E L, Mundy, J L. *Association for Computing Machinery. Communications of the ACM*. New York: Mar 1994. Vol. 37, Iss. 3; p. 44 (8 pages)  
[Full text](#) [Page Image - PDF](#) [Abstract](#)
- ☐ 37. **MetaTorch: A universal seam tracking system for arc welding and similar applications**  
Kolbl, Wolfgang. *The Industrial Robot*. Bedford: 1994. Vol. 21, Iss. 3; p. 33 (3 pages)  
[Full text](#) [Abstract](#)

31-37 of 37

[< First](#) | [< Previous](#) [1](#) [2](#) [Next >](#)
Results per page: 30

## Basic Search


[Tools:](#) [Search Tips](#) [Browse Topics](#) [3 Recent Searches](#)






Database: Multiple databases... [Select multiple databases](#)

Date range:   [About](#)

Limit results to: ☒ Full text articles only 

☐ Scholarly journals, including peer-reviewed  [About](#)

 [More Search Options](#) 

Copyright © 2004 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)

[Text-only interface](#)

From: **ProQuest**  
COMPANY



Find:

[Documents](#)

[Citations](#)

Searching for **visual and object and location and track**.

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#)  
[Google \(Web\)](#) [CSB](#) [DBLP](#)

111 documents found. Order: **citations weighted by year**.

[A Bayesian Computer Vision System for Modeling Human... - Oliver, Rosario, Pentland \(1999\) \(Correct\)](#)  
(20 citations)

at CVPR'98, Workshop on Interpretation of **Visual** Motion To Appear in Proceedings of ICVS'99,  
vision system to detect and segment a moving **object** -human or car, for example -and a higher  
An Extended Kalman filter **tracks** the **objects location**, coarse shape, color pattern, and velocity. This  
[whitechapel.media.mit.edu/pub/tech-reports/TR-459.ps.Z](http://whitechapel.media.mit.edu/pub/tech-reports/TR-459.ps.Z)

**One or more of the query terms is very common - only partial results have been returned. Try [Google \(RI\)](#).**

[Gesture Recognition Using the Perseus Architecture - Kahn, Swain, Prokopowicz, Firby \(1996\) \(Correct\)](#)  
(25 citations)

of techniques to reliably solve this complex **visual** problem in non-engineered worlds. Knowledge about  
It is far easier and more accurate to point to an **object** than give a verbal description of its **location**.  
[www.cs.uchicago.edu/~swain/pubs/CVPR96-Perseus.ps.Z](http://www.cs.uchicago.edu/~swain/pubs/CVPR96-Perseus.ps.Z)

[Recognizing Hand Gestures Using Motion Trajectories - Yang, Ahuja \(2000\) \(Correct\) \(4 citations\)](#)

The algorithm is used to recognize dynamic **visual** processes based on spatial, photometric and  
for extracting two-dimensional motion fields of **objects** across a video sequence and classifying each as  
is interpreted based on, for example, hand **location**, shape, and motion. The performance of the  
[uirvli.ai.uiuc.edu/mhyang/papers/cvpr99.ps.gz](http://uirvli.ai.uiuc.edu/mhyang/papers/cvpr99.ps.gz)

[Real-time Vision-Based Camera Tracking for.. - Koller, Klinker.. \(1997\) \(Correct\) \(13 citations\)](#)

to work with and examine real 3D **objects** while **visually** receiving additional computer-based information  
computer generated data (e.g. graphics of virtual **objects**) This poses two major problems: a) determining  
and dynamically estimating the 3D camera **location**. We utilize fully automated landmark-based  
[vision.caltech.edu/koller/Papers/cvpr-97.ps.gz](http://vision.caltech.edu/koller/Papers/cvpr-97.ps.gz)

[Automatic Text Detection and Tracking in Digital Video - Li, Doermann, Kia \(1998\) \(Correct\) \(9 citations\)](#)

with a small number of keyword descriptors after **visual** inspection by a human reviewer. Unfortunately,  
Consortium, are producing standards which are **object**-based. Within these standards video can be  
For example, sports scores, product names, scene **locations**, speaker names, movie credits, program  
[documents.cfar.umd.edu/LAMP/Media/Publications/Papers/huiping98b/Text2.ps.Z](http://documents.cfar.umd.edu/LAMP/Media/Publications/Papers/huiping98b/Text2.ps.Z)

[Visually Controlled Graphics - Azarbayejani, Starner, Horowitz.. \(1993\) \(Correct\) \(24 citations\)](#)

Report #180 Appears In IEEE PAMI 15 (6) June 1993 **Visually** Controlled Graphics A. Azarbayejani, T.  
recover the six rigid-body motion parameters of an **object** from a small set of **tracked visual** feature  
and a measurement model relating image feature **locations** to motion parameters. Additionally, some  
[whitechapel.media.mit.edu/pub/tech-reports/TR-180.ps.Z](http://whitechapel.media.mit.edu/pub/tech-reports/TR-180.ps.Z)

[Confluence of Computer Vision and Interactive Graphics for.. - Klinker \(1997\) \(Correct\) \(11 citations\)](#)

or the task at hand. By exploiting people's **visual** and spatial skills, AR brings information into  
interact with a combination of real and virtual **objects** in a natural way. This paradigm constitutes the  
[vision.caltech.edu/koller/Papers/presence-draft.ps.gz](http://vision.caltech.edu/koller/Papers/presence-draft.ps.gz)

[Visual Gesture Recognition - Davis, Shah \(1994\) \(Correct\) \(16 citations\)](#)

To Appear In Vision, Image And Signal Processing. **Visual** Gesture Recognition James Davis And Mubarak  
as a means of communication, e.g. pointing to an **object** to bring someone's attention to the **object**,  
Using stereo images, their system uses the 3-D **location** of fingers rather than the 2-D **location**. The  
[www-white.media.mit.edu/people/jdavis/OldPapers/visp.ps.Z](http://www-white.media.mit.edu/people/jdavis/OldPapers/visp.ps.Z)

Face Locating and Tracking for Human-Computer Interaction - Hunke, Waibel (1994) (Correct) (15 citations)  
communication involves both auditory and **visual** modalities, providing robustness and naturalness shape and color. In addition, if movement of an **object** is detected, this information is used a known face in a restricted area around the last **location**. During **tracking** the system learns features of [www.werner.ira.uka.de/papers/multimodal/94.acssc.ps.gz](http://www.werner.ira.uka.de/papers/multimodal/94.acssc.ps.gz)

Incremental Focus of Attention for Robust Visual Tracking - Toyama, Hager (1996) (Correct) (11 citations)  
Incremental Focus of Attention for Robust **Visual Tracking** Kentaro Toyama and Gregory D. Hager further attention. For example, if the target **object** is a falling apple, one layer of the framework to return approximate information on feature **location** or configuration. 1 Introduction Robustness [www.cs.yale.edu/HTML/YALE/CS/HyPlans/toyama/layered.ps.gz](http://www.cs.yale.edu/HTML/YALE/CS/HyPlans/toyama/layered.ps.gz)

Single Lens Stereo with a Plenoptic Camera - Adelson, Wang (1992) (Correct) (16 citations)  
of a cone of light that Leonardo called a "**visual** pyramid. The space surrounding an **object** is optical structure, one can infer the depths of **objects** in the scene, i.e. one can achieve "single lens that would be seen by a pinhole camera at a given **location**. a) b) c) d) Fig. 2. a) Pinhole camera [www-bcs.mit.edu/people/adelson/.publications/postscript/plenoptic.ps.Z](http://www-bcs.mit.edu/people/adelson/.publications/postscript/plenoptic.ps.Z)

Dynamic registration Corrections in Augmented-Reality Systems - Bajura, Neumann (1995) (Correct) (9 citations)  
This paper addresses the problem of correcting **visual** registration errors in video-based registration between real and computergenerated **objects** in combined images is critically important for ing system and specifies the **location** of a **tracking** element's position on the user's [usc.edu/pub/graphics/papers/vrais.ps.Z](http://usc.edu/pub/graphics/papers/vrais.ps.Z)

Virtual Notepad: Handwriting in Immersive VR - Poupyrev, Tomokazu, Weghorst (1998) (Correct) (4 citations)  
This virtual pen provides the user with a constant **visual** reference for the **location** of the entry point. As the user to add audio annotations to virtual **objects**. Annotations are represented as a small marker the user with a constant **visual** reference for the **location** of the entry point. As the user draws on the [www.hitl.washington.edu/publications/r-97-46/r-97-46.ps](http://www.hitl.washington.edu/publications/r-97-46/r-97-46.ps)

A System for Automated Site Model Acquisition - Collins, Jaynes, Stolle.. (1995) (Correct) (7 citations)  
the model to be overlaid on the image to aid **visual** change detection and verification of expected and manipulating images, camera models, **object** models and terrain models, and for keeping **track** and X-Y coordinates represent their horizontal **location** in the site. 2.3 Camera models For each image [vis-ftp.cs.umass.edu/Papers/collins/spie95.ps.gz](http://vis-ftp.cs.umass.edu/Papers/collins/spie95.ps.gz)

Face Tracking and Pose Representation - McKenna, Collins (1996) (Correct) (7 citations)  
depth. Principal components analysis was used to **visualise** the manifolds described by pose changes. system based on an integrated motion-based **object tracking** and model-based face detection produces a zero-crossing in  $S(x, y, t)$  at the **location** of the edge in the middle frame of the "history" [www.dcs.qmw.ac.uk/research/vision/articles/bmvc2.ps.gz](http://www.dcs.qmw.ac.uk/research/vision/articles/bmvc2.ps.gz)

Nonparametric Recognition of Nonrigid Motion - Polana, Nelson (1995) (Correct) (7 citations)  
sequences are described. 1 Introduction **Visual** motion has long been considered a vital source of the sources of different motions, identifying **objects** moving relative to the surrounding environment, [ftp.cs.rochester.edu/pub/papers/robotics/95.tr575.Nonparametric\\_recognition\\_of\\_nonrigid\\_motion.ps.gz](http://ftp.cs.rochester.edu/pub/papers/robotics/95.tr575.Nonparametric_recognition_of_nonrigid_motion.ps.gz)

Real-Time Hand Tracking and Gesture Recognition Using Smart Snakes - Heap (1995) (Correct) (6 citations)  
hand and recognise any gestures made, using only **visual** input, is taken entirely for granted by humans, model that can be used to **track** any 2D deformable **object**. 1 Introduction Our hands play a very important can be projected onto an image by specifying its **location**, in terms of scale  $s$ , rotation  $\theta$  x-translation [ftp.ori.co.uk/pub/docs/ORL/tr.95.1.ps.Z](http://ftp.ori.co.uk/pub/docs/ORL/tr.95.1.ps.Z)

Tracking Human Motion Using Multiple Cameras - Cai, Aggarwal (1996) (Correct) (6 citations)  
( $u, v, m$ ) ( $u, v, n$ )  $T$  As for the **visual** features, we use an  $N$  dimensional feature vector a fixed camera [1, 2] to **tracking** non-background **objects** in a single moving camera [3] The studies in



frames taken by cameras mounted in various **locations**. Experimental results from real data show the  
[rhine.ece.utexas.edu/pub/papers/icpr96\\_cai.ps.Z](http://rhine.ece.utexas.edu/pub/papers/icpr96_cai.ps.Z)

*First 20 documents* [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - [citeseer.org](http://citeseer.org) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)

Searching for **visual and object and location and track**.

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#)  
[Google \(Web\)](#) [CSB](#) [DBLP](#)

111 documents found. Order: citations weighted by year.

[Computer-Aided Image-Guided Bone Fracture Surgery: Modeling, ... - Tockus Joskowicz \(1998\) \(Correct\) \(3 citations\)](#)

Image-Guided Bone Fracture Surgery: Modeling, **Visualization**, and Preoperative Planning L. Tockus is used to provide accurate, real-time spatial **object** positions with optical cameras following infrared the surgeon must mentally reconstruct the **location** of the parts in space and time, manipulate the [www.cs.huji.ac.il/~josko/system98.ps](http://www.cs.huji.ac.il/~josko/system98.ps)

[Learning, Positioning, and Tracking Visual Appearance - Shree Nayar \(1994\) \(Correct\) \(6 citations\)](#)

Learning, Positioning, and **Tracking Visual** Appearance Shree K. Nayar, Hiroshi Murase, and determining the mapping between robot position and **object** appearance. The robot is first moved through either automatically position itself at a desired **location** with respect to an **object**, or accurately follow [ftp://cs.columbia.edu/pub/CAVE/papers/nayar/nayar-murase-nene-track\\_icra-94.ps.gz](ftp://cs.columbia.edu/pub/CAVE/papers/nayar/nayar-murase-nene-track_icra-94.ps.gz)

[Understanding People Pointing: The Perseus System - Kahn, Swain \(1995\) \(Correct\) \(5 citations\)](#)

In this paper we present Perseus, a purposive **visual** system used by our robot, CHIP, to locate **objects** **visual** system used by our robot, CHIP, to locate **objects** being pointed at by people. Perseus uses Providing a verbal description of the trash's **location** to CHIP is awkward it is far more natural to [cs-www.uchicago.edu/~kahn/Papers/postscript/iscv95.ps](http://cs-www.uchicago.edu/~kahn/Papers/postscript/iscv95.ps)

[Finger Tracking as an Input Device for Augmented Reality - James Crowley \(1995\) \(Correct\) \(5 citations\)](#)

Abstract This paper concerns techniques for **visual tracking** of pointing devices. The first section evolution. The barrier between physical **objects** (paper, pencils, calculators) and their provides a method in which the most probable **location** of the pointing device is determined by [pandora.imag.fr/Prima/jlc/FG95.ps.gz](http://pandora.imag.fr/Prima/jlc/FG95.ps.gz)

[Tracking Faces - McKenna, Gong \(1996\) \(Correct\) \(5 citations\)](#)

approaches depend on a robust method for grouping **visual** motions consistently over time [10] They tend to and a temporally consistent list of moving **objects** was maintained. **Objects** were **tracked** using a temporal zero-crossing in  $S(x, y, t)$  at the **location** of the edge in the middle frame of the "history" [www.dcs.qmw.ac.uk/research/vision/articles/iwafgr-tracking.ps.gz](http://www.dcs.qmw.ac.uk/research/vision/articles/iwafgr-tracking.ps.gz)

[An Intelligent Observer - Becker Gonz'alez-Ba \(1995\) \(Correct\) \(5 citations\)](#)

performs its tasks, the system provides real-time **visual** feedback to the user. We have implemented a one or more cameras which allow it to **track objects** while at the same time sensing its own **location**. **objects** while at the same time sensing its own **location**. It interacts with a human user who issues [robotics.stanford.edu/~hhg/doc/iser95/iser95.ps.gz](http://robotics.stanford.edu/~hhg/doc/iser95/iser95.ps.gz)

[Highlight and Reflection-Independent Multiresolution.. - Ofek, Shilat.. \(1997\) \(Correct\) \(3 citations\)](#)

that texture maps are essential for adding to the **visual** content of the rendered image. Extraction of distortions 2) it can extract textures from **objects** with any known 3-D geometric structure when the texture is fixed in an inconvenient **location** (e.g. on the outside) when illumination [www.cs.huji.ac.il/papers/IP/multiresolution-texture.ps.gz](http://www.cs.huji.ac.il/papers/IP/multiresolution-texture.ps.gz)

[Providing a Low Latency User Experience in a High Latency.. - Conner, Holden \(1997\) \(Correct\) \(3 citations\)](#)

Center for Computer Graphics and Scientific **Visualization** Providence, RI 02912 [lsh@cs.brown.edu](mailto:lsh@cs.brown.edu) motion or derivative information provided by an **object** itself, the dead reckoning system calculates the a continuous motion, not a discrete change of **location**. Other work has developed techniques for [www.cs.brown.edu/research/graphics/research/pub/papers/i3d97-blurghost/i3d96.ps.gz](http://www.cs.brown.edu/research/graphics/research/pub/papers/i3d97-blurghost/i3d96.ps.gz)

[Recognizing Hand Gestures - Davis, Shah \(1994\) \(Correct\) \(5 citations\)](#)

(SFM) method in which the 3-D **visual** interpretation of hand gestures is used in a

as a means of communication, e.g. pointing to an **object** to bring someone's attention to the **object**. Using stereo images, their system uses the 3-D **location** of fingers rather than the 2-D **location**. The [vismod.www.media.mit.edu/~jdavis/OldPapers/eccv.ps.Z](http://vismod.www.media.mit.edu/~jdavis/OldPapers/eccv.ps.Z)

A Continuous Media Transport and Orchestration Service - Andrew Campbell (1992) (Correct) (7 citations)  
have been implemented including an audio/**visual** telephone and a video disc jockey console. 3. and transport services are integrated into an **object**-based distributed multimedia application type (ADT) interfaces which are accessed in a **location** independent fashion. Invocation is implemented# [www.cs.uit.no/~weihai/MMsem.v97/pensum/Campbell.ps](http://www.cs.uit.no/~weihai/MMsem.v97/pensum/Campbell.ps)

Coordination of perceptual processes for Computer.. - Coutaz, Bérard, Crowley (1996) (Correct) (4 citations)  
face **tracking**, data fusion, integration of **visual** processes, media space. 1. Introduction Computer a result, peripheral awareness of distant people, **objects**, and events is lost. In addition, the static (e.g. Vphone and exploration of a distant **location** such as a public area using a virtual window) [iihm.imag.fr/publs/1996/FG96\\_Comedi.ps.gz](http://iihm.imag.fr/publs/1996/FG96_Comedi.ps.gz)

Tracking Objects By Color Alone - Rasmussen, Toyama, Hager (1996) (Correct) (4 citations)  
devices. 1 Introduction **Tracking** is a common **visual** task with many uses. By maintaining focus on **Tracking Objects** By Color Alone Christopher Rasmussen, Kentaro with minimal specularly or choosing color sample **locations** on them away from specularities, we have found [www.cs.yale.edu/HTML/YALE/CS/HyPlans/rasmussen/lib/papers/rr1114.ps.gz](http://www.cs.yale.edu/HTML/YALE/CS/HyPlans/rasmussen/lib/papers/rr1114.ps.gz)

The Visual Display Transformation for Virtual Reality - Robinett, Holloway (1995) (Correct) (4 citations)  
Ent S I G I L L Um Lux Libertas The **Visual** Display Transformation For Virtual Reality Warren series of transformations used to map points from **object** coordinates to screen coordinates. Virtual the HMD is called the user, and also has a **location** and orientation within the virtual world. A good [cs.ru.ac.za/homes/g97rc001/papers/94-031.ps.gz](http://cs.ru.ac.za/homes/g97rc001/papers/94-031.ps.gz)

Security of Web Browser Scripting Languages: Vulnerabilities.. - Anupam, Mayer (1998) (Correct) (2 citations)  
scripting language that looks a lot like **Visual Basic**. It is loosely typed and **object** based. It to refer to both strains. JavaScript is **object**-based in the sense that it uses built-in and user document when it is loaded by the browser. The **location object** represents the URL of the current [www.bell-labs.com/user/alain/papers/usenix98.ps.gz](http://www.bell-labs.com/user/alain/papers/usenix98.ps.gz)

W4: Who? When? Where? What? A Real Time System for.. - Haritaoglu, Harwood.. (1998) (Correct) (2 citations)  
Park, MD 20742 Abstract W 4 is a real time **visual** surveillance system for detecting and **tracking** determine types of interactions between people and **objects**, and to overcome the inevitable errors and occupancy overlap tests between the predicted **locations** of **objects** and the **locations** of detected [www.umiacs.umd.edu/users/lsd/vsam/fg98.ps.gz](http://www.umiacs.umd.edu/users/lsd/vsam/fg98.ps.gz)

Using the CONDENSATION Algorithm for Robust.. - Dellaert, Burgard.. (1999) (Correct) (1 citation)  
to globally localize the camera platform, given a **visual** map of the environment. Based on these two of the camera platform rather than **tracking** an **object** in the scene. In addition, it can also be used to as well as **tracking** the robot's position once its **location** is known. Vision has long been advertised as [www.ri.cmu.edu/pub\\_files/pub1/dellaert\\_frank\\_1999\\_1/dellaert\\_frank\\_1999\\_1.ps.gz](http://www.ri.cmu.edu/pub_files/pub1/dellaert_frank_1999_1/dellaert_frank_1999_1.ps.gz)

Starfield Information Visualization with Interactive Smooth.. - Ninad Jog (1995) (Correct) (3 citations)  
1 Starfield Information **Visualization** with Interactive Smooth Zooming Ninad through a space -say a world of 3-D graphical **objects** as in virtual reality applications, or in an - thereby making the starfield display a map of **locations**. Other databases exploit the starfield display [ftp.cs.umd.edu/pub/papers/papers/ncstrl.umcp/CS-TR-3286/CS-TR-3286.ps.Z](http://ftp.cs.umd.edu/pub/papers/papers/ncstrl.umcp/CS-TR-3286/CS-TR-3286.ps.Z)

A Self-organizing Neural Network Architecture for.. - Cameron, Grossberg.. (1995) (Correct) (3 citations)  
1995 3 1. Introduction: Optic Flow, Heading, and **Visual** Navigation As we move through the world, we of heading, scene depth, and moving **object locations**. These representations are used to of heading, scene depth, and moving **object locations**. These representations are used to reactively [cns-web.bu.edu/~guenther/cameron\\_grossberg\\_guenther\\_article.ps.Z](http://cns-web.bu.edu/~guenther/cameron_grossberg_guenther_article.ps.Z)

[A Modular Visual Tracking System - Wessler \(1995\) \(Correct\) \(3 citations\)](#)

A Modular **Visual Tracking** System by Mike Wessler A.B.Harvard

: 20 2.1.3 **Object** recognition (What"

[www.ai.mit.edu/people/wessler/main.ps.Z](http://www.ai.mit.edu/people/wessler/main.ps.Z)

*Documents 21 to 40* [Previous 20](#) [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - [citeseer.org](http://citeseer.org) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)

Searching for **visual and object and location and track**.

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#)  
[Google \(Web\)](#) [CSB](#) [DBLP](#)

111 documents found. Order: citations weighted by year.

Reflection of Presence: Toward more natural and.. - Agamanolis, Westner, .. (1997) (Correct) (2 citations)  
looking at each other through a real mirror. Using **visual** and auditory cues, segmented images of  
and collaboratively manipulate and annotate media **objects** in the background. The system is novel in that  
even though they are all in separate remote **locations**. However, instead of seeing a reflection of  
[dsmall.www.media.mit.edu/~vmb/papers/spie97stefan.ps.Z](http://small.www.media.mit.edu/~vmb/papers/spie97stefan.ps.Z)

Velocity and Disparity Cues for Robust Real-Time Binocular.. - Rougeaux, Kuniyoshi (1997) (Correct) (2 citations)

found in the primary functions of biological **visual** systems to robustly **track** moving targets in  
algorithm quickly locates independently moving **objects** for target acquisition and provides a reliable  
to adapt the horopter geometry to the target **location**. The system takes advantage of the optical  
[www.etl.go.jp:8080/etl/robotics/Projects/Humanoid/postscript/cvpr\\_97.ps.gz](http://www.etl.go.jp:8080/etl/robotics/Projects/Humanoid/postscript/cvpr_97.ps.gz)

Controlled Active Exploration of Uncalibrated Environments - Smith, Brandt.. (1994) (Correct) (3 citations)

Of the sensors available to a robotic agent, **visual** sensors provide information that is richer and  
with little or no a priori knowledge of the **object**- and camerarelated parameters to robustly  
of the controller indicates as the possible **location** of the minimum. In the general case, search time  
[www.cs.colorado.edu/~sbrandt/papers/CVPR94.ps.Z](http://www.cs.colorado.edu/~sbrandt/papers/CVPR94.ps.Z)

Holographic stereograms as discrete imaging systems - Halle (1994) (Correct) (3 citations)

the huge amount of information needed to produce a **visually** acceptable three-dimensional image. Because of  
Ma 02139 Usa Abstract Unlike Holograms Of Real **Objects**, Holographic Stereograms Consist Of Information  
used by humans to determine the three-dimensional **location** of an **object**. If a single image of the point is  
[ftp.media.mit.edu/pub/halazar/discrete-preprint.ps.Z](http://ftp.media.mit.edu/pub/halazar/discrete-preprint.ps.Z)

Mediated reality - Mann (1994) (Correct) (3 citations)

desire to take away, alter, or more generally to **visually** 'mediate' real **objects**, using a body-worn  
intent of Augmented Reality (AR) is to add virtual **objects** to the real world. A typical AR apparatus  
[www.wearcam.org/mediatedreality/TR-260.ps.gz](http://www.wearcam.org/mediatedreality/TR-260.ps.gz)

A Parallel Approach to Tracking Edge Segments in Dynamic Scenes - Mirmehdi, Ellis (1991) (Correct) (4 citations)

(AGV)The aim of this project is to provide **visual** input to the vehicle control system to aid  
are in the **tracking** and identification of discrete **objects** moving through the scene, and in estimating the  
**visual** input to the vehicle control system to aid **location** and navigation. The current system is targetted  
[www.cs.bris.ac.uk/Tools/Reports/Ps/mirmehdi-ivc93.ps.gz](http://www.cs.bris.ac.uk/Tools/Reports/Ps/mirmehdi-ivc93.ps.gz)

Video-Rate Z Keying: A New Method for Merging Images - Kanade, Oda, Yoshida.. (1995) (Correct) (2 citations)

merging real and synthetic images in real time. In **visual** media communication and display, it is often  
Chroma keying, however, simply puts real world **objects** in the foreground of the synthetic image, and  
by using a computer vision technique to **track** the **location** of a human **object** [4]These systems, however,  
[www.cs.cmu.edu/afs/cs/project/stereo-machine/www/95-38.ps.gz](http://www.cs.cmu.edu/afs/cs/project/stereo-machine/www/95-38.ps.gz)

Inductive Learning of Feature-Tracking Rules for Scientific.. - Arunava Banerjee (1995) (Correct) (2 citations)

Learning of Feature-**Tracking** Rules for Scientific **Visualization** Arunava Banerjee Haym Hirsh Thomas Ellman  
in a more efficient system that can match up **objects** across large time steps without inspecting  
if each of O 1 O n are close to the **location** of O as well as to one another and the sum of  
[www.cs.rutgers.edu/~arunava/papers/ijcai95.ps.Z](http://www.cs.rutgers.edu/~arunava/papers/ijcai95.ps.Z)

Keeping Your Eye on the Ball: Tracking Occluding Contours of.. - Toyama, Hager (1995) (Correct)

(2 citations)

P.O. Box 208285 New Haven, CT 06520 Abstract **Visual tracking** is prone to distractions, where Ball: **Tracking Occluding Contours of Unfamiliar Objects** without Distraction Kentaro Toyama and Gregory dynamic models can be used to predict feature **location** [2, 3, 9] In constraintbased **tracking**, no <ftp.cs.yale.edu/WWW/HTML/YALE/CS/HyPlans/toyama/papers/iros95short.ps.gz>

Characterization of the Spatial Frequency Spectrum in Perception .. - Ko Sakai (1995) (Correct) (2 citations)  
frequency spectrum [3] We propose that the **visual** system uses a strategy of characterizing the the most important **visual** cues to the shape of an **object** is the orderly change in texture that occurs as a by determining the peak frequency at each spatial **location**, and then averaging these frequency values over [www.neuroengineering.upenn.edu/papers/ko/sakai\\_finkel.josa\\_1995.ps.gz](www.neuroengineering.upenn.edu/papers/ko/sakai_finkel.josa_1995.ps.gz)

From Gaze to Focus of Attention - Stiefelbogen, Finke, Yang, Waibel (1998) (Correct) (1 citation)  
not only use verbal means, but also a variety of **visual** cues for communication. For example, people use focus of attention. The knowledge of a person's **object** of interest helps us effectively communicate with persons head movements as well as the relative **locations** of probable targets of interest in a room. Over <www.is.cs.cmu.edu/papers/multimodal/PUI98/PUI98-rainer.ps.gz>

Joint Probabilistic Techniques for Tracking Multi-Part Objects - Christopher Rasmussen (1998) (Correct) (1 citation)

**objects** such as people and cars comprise many **visual** parts and attributes, yet image-based **tracking** Probabilistic Techniques for **Tracking Multi-Part Objects** Christopher Rasmussen Gregory D. Hager Center of the head can be derived from the shirt's image **location** and scale. If the person walks behind a piece of <ftp.cs.yale.edu/WWW/HTML/YALE/CS/HyPlans/rasmussen/lib/papers/cvpr98.ps.gz>

Real-Time Visual Tracking Using Correlation Techniques - Eklund, Ravichandran.. (1994) (Correct) (2 citations)

Real-Time **Visual Tracking** Using Correlation Techniques Mark W.  
and does not rely on a previous model of the **object** the training image for filter synthesis is <sneezy.sri.com/~ravi/Papers/wacv-TRACK.ps>

An Integrated Traffic and Pedestrian Model-Based.. - Remagnino, Baumberg.. (1997) (Correct) (1 citation)  
integrated vision system in which two autonomous **visual** modules are combined to interpret a dynamic employs a 3D model-based scheme to **track** rigid **objects** such as vehicles. The second module uses a 2D its orientation and then its ground plane (GP) **location** . In the following, we outline our solutions to <www.cvg.cs.reading.ac.uk/papers/ps/CVG9702.ps.gz>

Video Motion Capture - Bregler, Malik (1997) (Correct) (1 citation)

of the person whose motion is to be captured. For **visual tracking** we introduce the use of a novel is very challenging, compared to **tracking** other **objects** such as footballs, robots or cars. These T describes the pixel displacement dependent on **location** (x y) and model parameters OE. For example, a [http://cs.berkeley.edu/~bregler/bregler\\_malik\\_muy.ps.gz](http://cs.berkeley.edu/~bregler/bregler_malik_muy.ps.gz)

GARGOYLE: Context-sensitive active vision for mobile robots - Prokopowicz, Firby, Kahn, .. (1996) (Correct) (1 citation)

and performance: on-the-AEy conguration of **visual** routines that exploit up-to-the-second context For example, the **visual** routine for nding **objects** by shape uses a color model of the **object** to restriction of viewpoint search based on image **location** may ameliorate the inherent combinatorics of <www.cs.uchicago.edu/~kahn/Papers/postscript/icpr96.ps>

A Visually Oriented Representation of Planar Relative Position - Jean-Marc Odobez (1996) (Correct) (1 citation)

A **visually** oriented representation of planar relative the position of a camera with respect to an **object** (more precisely, two points of an **object**) It is from a known position in the world, the current **location** of the robot is computed using odometry. <ftp.cis.upenn.edu/pub/grasp/technical-reports/401.ps.gz>

Plan Representations for Picking Up Trash - Firby, Prokopowicz, Swain (1995) (Correct) (1 citation)  
trash cleanup task breaks down naturally as: ffl **Visual** skills for nding and identifying trash and for

are used to pick up trash: find-small-floor-**object** uses fuzzy classification to identify segmented the **object**. Both nding skills set the target-**location** with an (x y) coordinate for the desired target [www.cs.uchicago.edu/pub/users/peterp/ictai95.ps.Z](http://www.cs.uchicago.edu/pub/users/peterp/ictai95.ps.Z)

Model-based vehicle detection and classification.. - Sullivan, Baker.. (1996) (Correct) (1 citation)  
to simplify our previous model-based methods for **visual tracking** of vehicles for use in a real-time at highly predictable traffic flow. A major **objective** is to develop automatic means to detect, 1,000 points and needs to be evaluated at all **locations** covering some image region. The approach is [www.cvg.cs.reading.ac.uk/papers/ps/BMVC96\\_crc.ps.gz](http://www.cvg.cs.reading.ac.uk/papers/ps/BMVC96_crc.ps.gz)

Detecting, localizing and grouping repeated scene elements.. - Leung, Malik (1996) (Correct) (1 citation)  
in an iconic matching scheme to provide another **visual** cue for recognition. 2 Relevant previous work this representation good for? The two short term **objectives** are: 1. Grouping of these repeated elements map that best transforms the image patch at one **location** to the other. The approach we propose consists [www.cs.berkeley.edu/~leung/Research/ECCV96\\_final.ps.gz](http://www.cs.berkeley.edu/~leung/Research/ECCV96_final.ps.gz)

*Documents 41 to 60* [Previous 20](#) [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - [citeseer.org](http://citeseer.org) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)